

最終処分場における維持管理基準（安定型処分場）

Figure 1 is a line graph illustrating the monthly variation of water temperature (水温), pH, and BOD in the Tama River from April to March. The Y-axis represents the concentration in mg/L, ranging from 0.0 to 30.0. Water temperature (水温) is shown with a blue line and diamond markers, pH with a pink line and square markers, and BOD with a green line and triangle markers. Water temperature fluctuates between approximately 17 and 27 mg/L. pH remains relatively stable around 7.0 to 8.0. BOD levels are generally low, mostly below 2.0 mg/L, with a slight peak in October.

Month	水温 (mg/L)	pH	BOD (mg/L)
4月	22.0	7.5	1.2
5月	24.0	7.2	1.0
6月	24.5	7.3	0.8
7月	23.0	6.8	0.5
8月	24.5	7.0	0.5
9月	22.8	7.3	1.8
10月	22.5	7.3	1.8
11月	21.0	7.5	1.8
12月	20.5	7.4	0.8
1月	17.8	7.7	0.5
2月	20.2	7.5	0.8
3月	17.0	7.7	0.8
4月	23.0	7.5	1.0
5月	22.0	7.8	1.0
6月	22.8	7.2	1.2
7月	24.5	7.0	0.8
8月	23.5	6.8	0.5
9月	23.5	6.8	0.5
10月	21.2	7.5	1.5
11月	18.8	7.4	1.0
12月	20.5	7.4	1.0
1月	20.8	7.5	1.0
2月	21.2	7.5	1.0
3月	21.5	7.4	0.5
4月	22.0	7.5	1.5
5月	23.0	7.4	1.0
6月	24.0	7.1	1.2
7月	23.5	7.3	0.5
8月	23.0	7.0	0.5
9月	23.2	6.8	0.5
10月	21.8	7.5	1.2
11月	20.5	7.3	1.0
12月	18.8	7.6	0.8
1月	20.5	7.4	0.8
2月	21.0	7.6	1.5
3月	21.8	7.4	1.0
4月	22.5	7.3	0.8
5月	26.5	7.3	0.8
6月	22.5	8.2	1.0
7月	23.5	6.8	0.5
8月	24.5	6.8	0.5
9月	22.5	7.2	0.8
10月	21.5	7.2	2.2
11月	21.8	7.3	1.2
12月	19.0	7.4	1.0
1月	19.5	7.5	1.2
2月	20.0	7.6	1.0
3月	20.5	7.6	0.8

The graph displays three data series over a 12-month period. The y-axis represents a numerical value from 0.0 to 25.0. The x-axis lists months from April to March. The '水温' (Water Temperature) series, marked with blue diamonds, shows values around 22.0 in April and 22.5 in May. The 'pH' series, marked with pink squares, shows values around 7.5 in April and 7.0 in May. The 'BOD' series, marked with green triangles, shows values around 0.5 in April and 0.5 in May.

Month	水温 (Water Temperature)	pH	BOD
4月 (April)	22.0	7.5	0.5
5月 (May)	22.5	7.0	0.5

The graph displays three data series over a 36-month period:

- 水温 (Water Temperature):** Represented by a blue line with diamond markers. The data points are all at the top of the chart, around 35.0.
- pH:** Represented by a magenta line with square markers. No data points are visible.
- BOD:** Represented by a green line with triangle markers. No data points are visible.

The x-axis is labeled with months from 4月 to 3月, repeating every 12 months. The y-axis is labeled with numerical values from 33.4 to 35.0 in increments of 0.2.

(新)梅北処分場 浸透水

最終処分場における維持管理基準（安定型処分場）

赤字値は定量限界値を示す。

単位：mg/l

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日																
カドミウム	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1													0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001													0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005													0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004													0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002													0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004													0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005													1.000	0.001	0.0005	0.0008
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
シマジン (CAT)	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002

(新)梅北処分場 地下水南側（上側）

最終処分場における維持管理基準（安定型処分場）

赤数値は定量限界値を示す。

単位：mg/l

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日																
カドミウム	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1													0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001													0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005													0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004													0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002													0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004													0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005													1.000	0.001	0.0005	0.0008
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002

(新)梅北処分場 地下水北側（下側）

最終処分場における維持管理基準（安定型処分場）


赤数値は定量限界値を示す。 単位：mg/l

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日																
カドミウム	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1													0.1	0.1	0.1	0.1
鉛	0.01	0.001	0.001													0.010	0.01	0.001	0.0040
六価クロム	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.002	0.002	0.002													0.010	0.002	0.002	0.0020
総水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001													0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005													0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004													0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002													0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004													0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005													1.000	0.001	0.0005	0.0008
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002


(旧)梅北処分場 浸透水

最終処分場における維持管理基準（安定型処分場）


	令和3年度												令和4年度												令和5年度												令和6年度											
	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
水温	18.8	21.5	22.2	22.1	23.5	22.9	22.3	21.0	18.0	12.8	15.1	15.5	22.0	20.5	20.8	21.9	22.6	22.9	20.5	18.5	16.7	17.2	12.2	13.5	17.2	20.6	21.0	22.0	22.6	22.6	19.6	18.3	17.1	15.2	17.6	19.5	19.6	21.8	21.6	25.0	23.0	22.6	21.5	20.0	18.0	15.5	14.0	17.5
pH	7.1	7.0	7.1	6.9	6.9	7.0	6.9	7.0	7.0	7.2	7.0	6.9	7.1	7.2	6.9	7.1	6.9	6.8	6.9	6.9	6.8	7.0	7.0	7.1	7.1	6.9	6.8	7.2	7.0	6.9	6.9	6.8	7.1	6.8	7.0	6.9	6.8	6.9	7.4	7.0	6.9	7.3	6.9	6.8	6.9	6.9	7.1	7.1
BOD	0.9	0.6	0.9	0.9	1.0	0.9	0.7	1.2	0.8	0.8	0.9	1.0	1.8	1.4	0.6	1.2	0.5	0.7	1.8	1.5	0.7	1.2	0.5	0.5	1.1	1.7	1.2	0.5	0.7	0.5	1.4	0.5	1.1	1.1	1.1	1.6	0.7	1.2	1.3	0.8	0.5	0.9	0.8	1.0	1.8	1.0	1.3	1.5



	令和7年度												令和8年度												令和9年度												令和10年度											
	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
水温	20.5																																															
pH	7.0																																															
BOD	1.2																																															



	令和 1 1 年度												令和 1 2 年度												令和 1 3 年度												令和 1 4 年度												
	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
水温																																																	
pH																																																	
BOD																																																	



(旧)梅北処分場 浸透水

最終処分場における維持管理基準（安定型処分場）

赤字値は定量限界値を示す。

単位：mg/l

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日																
カドミウム	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1													0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001													0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005													0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004													0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002													0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004													0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005													1.000	0.001	0.0005	0.0008
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002

(旧)梅北処分場 地下水北側（上側）

最終処分場における維持管理基準（安定型処分場）

赤字値は定量限界値を示す。

単位：mg/l

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日																
カドミウム	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1													0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001													0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005													0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004													0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002													0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004													0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005													1.000	0.001	0.0005	0.0008
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.01													0.010	0.01	0.001	0.0040
セレン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002

(旧)梅北処分場 地下水南側（下側）

最終処分場における維持管理基準（安定型処分場）

赤数値は定量限界値を示す。単位：mg/l

	令和4年度 10月26日	令和5年度 10月24日	令和6年度 10月24日	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
カドミウム	0.0003	0.0003	0.003													0.003	0.003	0.0003	0.0012
シアン	0.1	0.1	0.1													0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.008	0.007	0.007													0.010	0.008	0.007	0.0073
総水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005													0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001													0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005													0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004													0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002													0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004													0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.001													1.000	0.001	0.001	0.0010
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006													0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003													0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002													0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001													0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005													0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002													0.002	0.0002	0.0002	0.0002

二俣中間処分場（焼却施設）

設置年月日 平成25年11月30日

【排ガス】

ばい煙測定

		2018/11/15	2019/5/17	2019/11/28	2020/5/19	2020/10/15	2021/2/19	2021/5/13	2021/7/8	2021/12/2	2022/6/9	2022/12/8	2023/6/9	2024/1/18	2024/6/7	2025/1/21
排ガス温度 (℃)		179	181	186	188	190	170	180	174	178	174	173	176	177	179	180
排ガス流速 (m/sec)		8.9	8.4	10.1	8.1	11.1	9.8	11.7	9.3	8.7	9.5	9.4	12	12	11.3	13
排ガス水分 (vol%)		38.7	33.3	31.4	34.4	35.9	26.8	37.1	29.8	25.5	37.2	28.5	26.4	38.6	32.2	34.1
湿り排ガス流量 (m ³ N/h)		11000	10300	12300	9790	13100	12000	13900	11200	10500	11500	11500	14300	14600	13500	15700
湿り排ガス流量(最大) (m ³ N/h)		18200	18200	18200	18200	18200	18200	18200	18200	18200	18200	18200	18200	18200	18200	-
乾き排ガス流量 (m ³ N/h)		6740	6870	8430	6450	8400	8780	8740	7860	7820	7220	8220	10500	8960	9150	10300
排ガス組成	C O 2 (vol%)	8.3	9.1	8.1	7.7	10.5	8	8.7	8.3	7.7	7.6	7.8	6.9	7.6	7.1	7
	O 2 (vol%)	9.4	9.7	11	11.1	9.3	11.5	10.4	10.7	11.8	12.2	11.9	12.8	11.6	12.4	12.6
	C O (vol%)	0.1未満	0.1未満	0.1未満	0.1未満	0	0	0	0	0	0	0	0	0	0	-
ばいじん濃度 (g/m ³ N)		0.001未満	0.001未満	0.001未満	0.001	0.005未満	-	0.005未満	-	0.005未満	0.005未満	0.005未満	0.005未満	0.005未満	0.005未満	0.001未満
酸素換算値 (g/m ³ N)		0.001未満	0.001未満	0.001未満	0.001	0.005未満	-	0.005未満	-	0.006未満	0.006未満	0.005未満	0.005未満	0.005未満	0.005未満	0.002未満
酸素換算値(規制値) (g/m ³ N)		0.15	0.15	0.15	0.15	0.15	0.15	0.15	-	0.15	0.15	0.15	0.15	0.15	0.15	0.15
硫酸酸化物濃度 (vol ppm)		1.8	11	9	2.7	5未満	-	26	-	5未満	5未満	5未満	5未満	5未満	5未満	13
硫酸酸化物排出量 (m ³ N/h)		0.012	0.078	0.076	0.017	0.042未満	-	0.22	-	0.040未満	0.037未満	0.042未満	0.053未満	0.045未満	0.046未満	0.134
硫酸酸化物排出量(規制値) (m ³ N/h)		11.25	10.97	11.99	10.86	10.2	-	10.3	-	9.8	9.5	9.9	11	12.9	12.4	13.46
窒素酸化物濃度 (vol ppm)		77	140	130	110	120	-	146	-	144	139	145	153	124	142	100
酸素換算値 (vol ppm)		70	110	110	91	100	-	123	-	151	134	134	162	126	131	-
塩化水素濃度 (mg/m ³ N)		11	41	24	13	24	-	76	-	12	9	7	9	15	14	43
酸素換算値 (mg/m ³ N)		8.2	33	22	12	19	-	63	-	13	9	12	9	16	14	46
酸素換算値(規制値) (mg/m ³ N)		700	700	700	700	700	700	700	-	700	700	700	700	700	700	700

【水銀】

[illegible]

二俣中間処分場（焼却施設）

設置年月日 平成25年11月30日

【排出基準】 排ガス 5ng-TEQ/m³N 焼却灰 3ng-TEQ/g 飛灰処理物 3ng-TEQ/g

ダイオキシン類測定

項目	2014/02/12	2015/02/20	2016/01/20	2016/12/29	2017/11/09	2018/11/15	2019/11/28	2020/10/15	2021/02/19	2021/05/13	2021/07/08
排ガス ng-TEQ/m ³ N	0.27	0.66	1.1	2.7	0.57	3	1.9	3.7	2.2	1.7	1.7
焼却灰 ng-TEQ/g	0.041	0.013	0.026	0.0087	0.038	0.055	0.2	0.093			0.034
飛灰処理物 ng-TEQ/g	0.019	0.038	0.16	0.10	0.13	0.51	0.38	0.23			0.21

項目	2021/12/02	2022/06/09	2022/12/08	2023/06/09	2024/06/07						
排ガス ng-TEQ/m ³ N	1.6	1.6	2.1	2.9	0.13						
焼却灰 ng-TEQ/g		0.019	0.065	0.16	0.11						
飛灰処理物 ng-TEQ/g		0.29	0.31	0.27	1.5						