

最終処分場における維持管理基準（安定型処分場）

The graph displays three data series over a 12-month period (April to March). The y-axis represents the concentration or level of each parameter, ranging from 0.0 to 30.0. The x-axis lists the months from 4月 (April) to 3月 (March).

- 水温 (Water Temperature):** Represented by a blue line with diamond markers. It shows significant seasonal variation, peaking at approximately 26.5 in May and reaching a minimum of about 17.0 in March.
- pH:** Represented by a magenta line with square markers. It remains relatively stable throughout the year, fluctuating between approximately 6.5 and 8.0.
- BOD:** Represented by a green line with triangle markers. It generally stays at low levels, mostly below 2.0, with a slight increase to about 2.2 in October.

Month	水温	pH	BOD
4月	22.0	7.2	1.2
5月	24.0	7.0	1.0
6月	24.5	7.1	1.0
7月	23.0	6.8	0.5
8月	24.5	6.9	0.5
9月	22.8	7.2	1.8
10月	22.5	7.2	1.5
11月	21.0	7.4	1.5
12月	20.5	7.3	0.5
1月	17.8	7.5	0.5
2月	20.2	7.4	0.8
3月	17.0	7.5	0.8
4月	23.0	7.4	1.0
5月	22.0	7.6	1.2
6月	22.8	7.2	1.2
7月	24.5	6.9	0.5
8月	23.5	6.7	0.5
9月	23.5	6.7	0.5
10月	21.2	7.4	1.5
11月	18.8	7.3	1.0
12月	20.5	7.3	1.0
1月	20.8	7.4	1.0
2月	21.2	7.4	1.0
3月	21.5	7.3	0.5
4月	22.0	7.4	1.5
5月	23.0	7.3	1.0
6月	24.0	7.0	1.2
7月	23.5	7.2	0.5
8月	23.0	6.9	0.5
9月	23.2	6.7	0.5
10月	21.5	7.4	1.2
11月	20.5	7.2	1.0
12月	18.8	7.5	0.8
1月	20.5	7.3	0.8
2月	21.0	7.5	1.5
3月	21.8	7.4	0.8
4月	22.5	7.2	0.8
5月	26.5	7.2	0.8
6月	22.5	8.0	1.0
7月	23.5	6.8	0.5
8月	24.5	6.8	0.5
9月	22.5	7.1	0.8
10月	21.5	7.1	2.2
11月	21.8	7.2	1.2
12月	19.0	7.3	1.2
1月	21.5	7.3	1.2
2月	21.8	7.5	1.2
3月	21.0	7.5	1.2

This line graph displays three water quality parameters over a 12-month period from April to March. The Y-axis represents the concentration or level of each parameter, ranging from 0.0 to 30.0. The X-axis lists the months from 4月 (April) to 3月 (March). The legend indicates three data series: 水温 (Water Temperature) represented by a dark blue line with diamond markers, pH represented by a magenta line with square markers, and BOD (Biochemical Oxygen Demand) represented by a green line with triangle markers.

The 水温 (Water Temperature) series shows significant seasonal variation, starting at approximately 22.0 in April, peaking at 24.8 in August, dropping to a minimum of 20.2 in November, and ending at 21.2 in March. The pH series remains relatively stable, fluctuating slightly between 6.8 and 7.5 throughout the year. The BOD series is consistently low, staying below 1.5 across all months, with a slight increase to 1.2 in October.

Month	水温 (Water Temperature)	pH	BOD
4月	22.0	7.2	0.5
5月	22.5	6.9	0.5
6月	24.0	7.3	0.5
7月	24.0	6.9	0.5
8月	24.8	6.7	0.5
9月	21.5	6.8	0.5
10月	21.7	7.4	1.2
11月	20.2	7.2	0.8
12月	21.7	7.5	0.7
1月	24.0	7.3	0.5
2月	22.0	7.3	0.8
3月	21.0	7.2	0.5
4月	21.1	7.3	0.5
5月	22.1	7.2	0.5
6月	21.2	7.2	0.7

The graph displays three data series over a 36-month period:

- 水温 (Water Temperature):** Represented by a blue line with diamond markers.
- pH:** Represented by a magenta line with square markers.
- BOD:** Represented by a green line with triangle markers.

The y-axis represents the values for these parameters, ranging from 33.4 to 35.0. The x-axis represents time in months, from April (4月) to March (3月).

(新) 梅北処分場 浸透水

最終処分場における維持管理基準（安定型処分場）

赤数値は定量限界値を示す。

単位：mg/ℓ

	令和4年度 10月26日	令和5年度 10月24日	令和6年度 11月18日	令和7年度 12月8日	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
カドミウム	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1	0.1												0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005	0.005												0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001	0.001												0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005	0.0005												0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004	0.0004												0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002	0.002												0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004	0.004												0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005	0.0005												1.000	0.001	0.0005	0.0008
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
シマジン (CAT)	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005	0.005												0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002

(新)梅北処分場 地下水南側（上側）

最終処分場における維持管理基準（安定型処分場）

赤数値は定量限界値を示す。

単位：mg/ℓ

	令和4年度 10月26日	令和5年度 10月24日	令和6年度 11月18日	令和7年度 12月8日	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
カドミウム	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1	0.1												0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005	0.005												0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001	0.001												0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005	0.0005												0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
1, 2-ジクロロエタン	0.0004	0.0004	0.0004	0.0004												0.004	0.0004	0.0004	0.0004
1, 1-ジクロロエチレン	0.002	0.002	0.002	0.002												0.100	0.002	0.002	0.0020
1, 2-ジクロロエチレン	0.004	0.004	0.004	0.004												0.040	0.004	0.004	0.0040
1, 1, 1-トリクロロエタン	0.001	0.001	0.0005	0.0005												1.000	0.001	0.0005	0.0008
1, 1, 2-トリクロロエタン	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
1, 3-ジクロロプロペン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
シマジン (CAT)	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
1, 4-ジオキサン	0.005	0.005	0.005	0.005												0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002

(新)梅北処分場 地下水北側（下側）

最終処分場における維持管理基準（安定型処分場）

赤数値は定量限界値を示す。

単位：mg/ℓ

	令和4年度 10月26日	令和5年度 10月24日	令和6年度 11月18日	令和7年度 12月8日	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
カドミウム	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1	0.1												0.1	0.1	0.1	0.1
鉛	0.01	0.001	0.001	0.001												0.010	0.01	0.001	0.0033
六価クロム	0.005	0.005	0.005	0.005												0.050	0.005	0.005	0.0050
ひ素及びその化合物	0.002	0.002	0.002	0.001												0.010	0.002	0.001	0.0018
総水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001	0.001												0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005	0.0005												0.010	0.0005	0.0005	0.0005
四塩化炭素	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
1, 2-ジクロロエタン	0.0004	0.0004	0.0004	0.0004												0.004	0.0004	0.0004	0.0004
1, 1-ジクロロエチレン	0.002	0.002	0.002	0.002												0.100	0.002	0.002	0.0020
1, 2-ジクロロエチレン	0.004	0.004	0.004	0.004												0.040	0.004	0.004	0.0040
1, 1, 1-トリクロロエタン	0.001	0.001	0.0005	0.0005												1.000	0.001	0.0005	0.0008
1, 1, 2-トリクロロエタン	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
1, 3-ジクロロプロペン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
シマジン (CAT)	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
1, 4-ジオキサン	0.005	0.005	0.005	0.005												0.050	0.005	0.005	0.0050
クロロエチレン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002

最終処分場における維持管理基準（安定型処分場）

Figure 1 is a line graph illustrating the monthly variation of water temperature (水温), pH, and BOD in the Kurokawa River from April to March. The Y-axis represents the concentration in mg/L, ranging from 0.0 to 30.0. The X-axis shows the months from April (4月) to March (3月). Water temperature (水温) is the highest, fluctuating between approximately 12 and 25 mg/L. pH is relatively stable, ranging from about 6.5 to 7.5. BOD is the lowest, generally below 2 mg/L, with a slight peak in October.

This line graph displays three environmental parameters over a 36-month period. The Y-axis represents the value of each parameter, ranging from 0.0 to 25.0. The X-axis shows months from April of the first year to March of the third year. The legend identifies three series: 水温 (Water Temperature) in blue with diamond markers, pH in magenta with square markers, and BOD in yellow-green with triangle markers.

Month	水温 (Water Temperature)	pH	BOD
4月	20.5	7.0	1.0
5月	21.5	7.0	0.8
6月	22.5	7.0	0.5
7月	23.5	7.0	0.5
8月	22.5	7.0	1.5
9月	21.0	7.0	1.8
10月	21.0	7.2	0.5
11月	21.2	7.5	0.3
12月	21.2	7.8	0.3
1月	20.0	7.5	0.5
2月	18.8	7.0	0.5
3月	19.5	7.0	0.8
4月	20.5	7.0	0.8
5月	21.0	7.0	0.8
6月	20.8	7.0	0.8

(旧)梅北処分場 浸透水

最終処分場における維持管理基準（安定型処分場）

赤字値は定量限界値を示す。

単位：mg/ℓ

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日	9月10日															
カドミウム	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1	0.1												0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005	0.002												0.050	0.005	0.002	0.0043
ひ素及びその化合物	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001	0.001												0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005	0.001												0.010	0.001	0.0005	0.0006
四塩化炭素	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004	0.0004												0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002	0.002												0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004	0.004												0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005	0.1												1.000	0.1	0.0005	0.0256
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005	0.01												0.050	0.01	0.005	0.0063
クロロエチレン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002

(旧)梅北処分場 地下水北側（上側）

最終処分場における維持管理基準（安定型処分場）

赤字値は定量限界値を示す。

単位：mg/ℓ

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	11月18日	9月10日															
カドミウム	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
シアン	0.1	0.1	0.1	0.1												0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005	0.002												0.050	0.005	0.002	0.0043
ひ素及びその化合物	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
総水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001	0.001												0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005	0.001												0.010	0.001	0.0005	0.0006
四塩化炭素	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004	0.0004												0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002	0.002												0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004	0.004												0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.0005	0.1												1.000	0.1	0.0005	0.0256
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
シマジン(CAT)	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.01	0.001												0.010	0.01	0.001	0.0033
セレン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005	0.01												0.050	0.01	0.005	0.0063
クロロエチレン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002

(旧)梅北処分場 地下水南側（下側）

最終処分場における維持管理基準（安定型処分場）

赤数値は定量限界値を示す。単位：mg/ℓ

	令和4年度	令和5年度	令和6年度	令和7年度	令和8年度	令和9年度	令和10年度	令和11年度	令和12年度	令和13年度	令和14年度	令和15年度	令和16年度	令和17年度	令和18年度	放流 基準値	最大	最小	平均
	10月26日	10月24日	10月24日	9月10日															
カドミウム	0.0003	0.0003	0.003	0.0003												0.003	0.003	0.0003	0.0010
シアン	0.1	0.1	0.1	0.1												0.1	0.1	0.1	0.1
鉛	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
六価クロム	0.005	0.005	0.005	0.002												0.050	0.005	0.002	0.0043
ひ素及びその化合物	0.008	0.007	0.007	0.005												0.010	0.008	0.005	0.0068
総水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
アルキル水銀	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
ポリ塩化ビフェニル	0.0005	0.0005	0.0005	0.0005												0.0005	0.0005	0.0005	0.0005
トリクロロエチレン	0.001	0.001	0.001	0.001												0.030	0.001	0.001	0.0010
テトラクロロエチレン	0.0005	0.0005	0.0005	0.001												0.010	0.001	0.0005	0.0006
四塩化炭素	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
ジクロロメタン	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
1,2-ジクロロエタン	0.0004	0.0004	0.0004	0.0004												0.004	0.0004	0.0004	0.0004
1,1-ジクロロエチレン	0.002	0.002	0.002	0.002												0.100	0.002	0.002	0.0020
1,2-ジクロロエチレン	0.004	0.004	0.004	0.004												0.040	0.004	0.004	0.0040
1,1,1-トリクロロエタン	0.001	0.001	0.001	0.1												1.000	0.1	0.001	0.0258
1,1,2-トリクロロエタン	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
1,3-ジクロロプロペン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002
チウラム	0.0006	0.0006	0.0006	0.0006												0.006	0.0006	0.0006	0.0006
シマジン (CAT)	0.0003	0.0003	0.0003	0.0003												0.003	0.0003	0.0003	0.0003
チオベンカルブ	0.002	0.002	0.002	0.002												0.020	0.002	0.002	0.0020
ベンゼン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
セレン	0.001	0.001	0.001	0.001												0.010	0.001	0.001	0.0010
1,4-ジオキサン	0.005	0.005	0.005	0.01												0.050	0.01	0.005	0.0063
クロロエチレン	0.0002	0.0002	0.0002	0.0002												0.002	0.0002	0.0002	0.0002

【水銀】

[illegible]

【排出基準】 排ガス 5ng-TEQ/m ³ N 焼却灰 3ng-TEQ/g 飛灰処理物 3ng-TEQ/g			ダイオキシン類測定									
項目		2014/02/12	2015/02/20	2016/01/20	2016/12/29	2017/11/09	2018/11/15	2019/11/28	2020/10/15	2021/02/19	2021/05/13	2021/07/08
排ガス	ng-TEQ/m ³ N	0.27	0.66	1.1	2.7	0.57	3	1.9	3.7	2.2	1.7	1.7
焼却灰	ng-TEQ/g	0.041	0.013	0.026	0.0087	0.038	0.055	0.2	0.093			0.034
飛灰処理物	ng-TEQ/g	0.019	0.038	0.16	0.10	0.13	0.51	0.38	0.23			0.21

項目		2021/12/02	2022/06/09	2022/12/08	2023/06/09	2024/06/07	2025/06/13	2025/12/24				
排ガス	ng-TEQ/m ³ N	1.6	1.6	2.1	2.9	0.13	0.12	6.4				
焼却灰	ng-TEQ/g		0.019	0.065	0.16	0.11	0.1	2.8				
飛灰処理物	ng-TEQ/g		0.29	0.31	0.27	1.5	2.7	1.0				